

Under the web-address <https://www.process-informatik.de> are product specific documentations or software-driver/-tools available to download.
If you have questions or suggestions about the product, please don't hesitate to contact us.

Process-Informatik Entwicklungsgesellschaft mbH

Im Gewerbegebiet 1

DE-73116 Wäschenbeuren

+49 (0) 7172-92666-0

info@process-informatik.de

<https://www.process-informatik.de>

Menutree Website:

- + Products / docu / downloads
- + Accessories
 - + Connection cable / adapter
 - + Ethernet
 - + Patchcable 0.25m



QR-Code Website:




Please make sure to update your drivers before using our products.

Remote-maintenance Pilz-PLC with firewall



Remote-maintenance of a Pilz-controller with network-connection via secure VPN-tunnel and scalable firewall

Interface-products for S7-PLC



Communication with S7-PLC, just how and with what?

Data communication with S7-PLC from PC or other devices, which interface fits on/to my controller. All questions you don't have to worry about. With "Programming adapter S7" you get the right interface for PPI, MPI and Profibus.

Select the interface of your PC or device (serial via COM-port, USB, Ethernet (network), WIFI) and you will be shown the possible products.

Which one you use then is up to you.

Sensor-networking 4.0

Siemens S5
Read / Write
PG-Schnittstelle

Siemens S7
Read / Write
PPS / MPI / DP

Energieanalyse
(EN 60475-1 EN 60475-3)
Echtzeit-Energie
L1, L2, L3, N Echtzeitanalyse
bis 600 Messungen / Sec
Spannungen bis 500 VAC
Strome über 1000 A
Hz / cos phi / Leistungsfaktor
WWh / Bld / Scheinleistung kW
Energieverbrauch kWh

Alle Messgrößen
U / I / CG / O2 / H2O, m, kg, mm ...
dezentrale Analyse, Überwachen, Alarmen
zentral protokollieren + beobachten


Vorhandene Sensoren direkt einbinden
analoge und digitale Ein-Ausgänge
elektrisch und Messwerte frei konfigurieren
Messgrößen einfach über WEB anzeigen

Klick-Montage auf Standard-Hutschene
Stromversorgung 230VAC / 24VDC

Integrierter Webserver
Zugriff auf alle Sensoren im Netz

Protokoll auf SD-Karte + FTP-Server
in verschiedenen Datenformaten
bei Grenzen E-Mail + Ausgänge über Netz

Profinet life cycle monitoring




Identify impending failures in your Profinet.
 Creeping aging will be displayed to you very detailed.
 The Profinet-Watchdog give you the change to react before something happens.

Remote maintenance / telecontrol of PLC



The access to the connected PLC with the Siemens TS-software or PG-2000 including TS-option results of coupling via Analogue-, ISDN- (only with AB-adapter) as well as GSM-line.

EtherSens-cloud



By the EtherSens-cloud each EtherSens-device can exchange data, transfer data and forward to other devices. As if you use one device that records all necessary parameters centrally.