

Under the web-address <https://www.process-informatik.de> are product specific documentations or software-driver/-tools available to download.

If you have questions or suggestions about the product, please don't hesitate to contact us.

Process-Informatik Entwicklungsgesellschaft mbH

Im Gewerbegebiet 1

DE-73116 Wäschenbeuren

+49 (0) 7172-92666-0

[info@process-informatik.de](mailto:info@process-informatik.de)

<https://www.process-informatik.de>

**Menutree Website:**

- + Products / docu / downloads
- + Accessories
- + Connector / Power supply
- + Connector 2pins big




**QR-Code Website:**




Please make sure to update your drivers before using our products.

## Logged data to FTP-server




Do you need the logged data not locally but on your site? Then just turn on recording on an FTP-server and the data is stored. You can then immediately read and process this data.

## Standalone recording



With the integrated SD-card-slot you back-up the recorded data in the device and dont need an external memory. Nevertheless you can send additional the data via FTP to a FTP-server.

## Data backup S7-PLC PN-port on USB-stick




S7-PLC triggered DB-backup/-restore without additional PC via PN-port to USB-stick

## Detect failure of Profinet-devices



Identify devices that are likely to fail in the near future.  
Detect defective devices that no longer respond to PN protocols.  
Defective devices are reported by email and logged.  
No long troubleshooting thanks to exact station information.

## DB-Backup/Restore S7-PLC PN-port on USB-stick via dig. IO



Via digital input triggered DB-backup/-restore without additional PC via PN-port to USB-stick

## Analogue and ISDN - how do they come together?



You have on the plant side only ISDN for telephone, but in your office there is only an analogue system? No problem, you have to install on the clients side the TP-II and activate there the analogue-emulation in the device. No, the modem signals will be sent digitalized over ISDN and you can connect to it. So, you will be able to communicate though the telephone systems are different and your client isn't forced to install an analogue connection.