

Under the web-address <https://www.process-informatik.de> are product specific documentations or software-driver/-tools available to download.  
If you have questions or suggestions about the product, please don't hesitate to contact us.

Process-Informatik Entwicklungsgesellschaft mbH  
Im Gewerbegebiet 1  
DE-73116 Wäschenbeuren  
+49 (0) 7172-92666-0  
[info@process-informatik.de](mailto:info@process-informatik.de)  
<https://www.process-informatik.de>

**Menutree Website:**

- + Products / docu / downloads
- + Hardware
  - + Memory modules / Prommer
  - + EPROM-ERASER UVL3




**QR-Code Website:**




Please make sure to update your drivers before using our products.

## Profinet life cycle monitoring



Identify impending failures in your Profinet.  
Creeping aging will be displayed to you very detailed.  
The Profinet-Watchdog give you the change to react before something happens.

## Active on every S5-PLC




PLC's without current-sources (+20mA) and voltages (5V/24V) at the PG-interface such as the AS511-plug-in card?


The PG-USB-cable does not need anything, it is supplied directly from the USB-socket to which it was plugged. It is active towards its communication-partners, contains its own current-sources.

Universally connected to the S5-PLC without worrying about the supply. Function also given on controls with current-sources/voltages.


Profinet life cycle monitoring and alarming
---



Profinet WLAN panel connection
--------------------------------




## Documentation of oxygen concentration



The integrated current output issues the actual concentration in the range of 0/4 - 20mA via free definable limits.

## Message dispatch from the PLC



Send directly from your PLC news, statuses, alarms as SMS or email.