
# handling-short instruction for Multi– Prommer V1.3




# **Interface-Overview:**

#### Front-Side:



#### Back-Side:



## **Connectors:**

# RS232:

The 9pin female Connector has following pining:

Pin	short name	Description
2	RxD	receiver PC-side
3	TxD	transmit PC-side
5	GND	ground signal
7	RTS	request to send
8	CTS	clear to send

#### Parallel-Interface:

Pin	short name	Description
1	ACK	acknowledged
2	D0	data bit 0
3	D1	data bit 1
4	D2	data bit 2
5	D3	data bit 3
6	D4	data bit 4
7	D5	data bit 5
8	D6	data bit 6
9	D7	data bit 7
10	STB	strobe
11	INIT	initialize
12	AFD	append auto-form-feed
13	SLIN	selection input
14	PE	paper empty
15	ERR	error
16	BUSY	busy
17	SLCT	select
18 - 25	GND	ground signal

#### **Power Supply:**

The Multi-Prommer needs a power supply of 230V AC with a tolerance of  $\pm 15\%$ . The connection should be made with the delivered cable. The Multi-Prommer is also reachable with 115V AC, ask your dealer.

#### **Software-installation:**

Download the WinPromm-software from the mentioned website and start the installation. Follow the Install-Shield.

#### Menu-structure:

File

New Open

Save Save As

Printer configuration

Exit

View

Toolbar Status line

Module

Select Read Write Write too Blanktest Compare Block list Erase

Configuration

Interface Language Word/Block SYSID Display checksum

Window

Overlapped Side-by-side Top-on-top Group symbols Help

Contents Usage of help Introduction Version-history About WinPrommer

Block

All None Exchange

#### File-formats:

\*.\* All Files. It is tried to choose a file-format according the extention. If no appropriate file-format is found, the binary

\*.BIN Binary File \*.S5D Step-5 File

\*.S7P Step-7 File (structure)

\*.308 ET-100 File

\*ET.200 ET-200 File

\*.2BF ET2-Binary Export

Intel-Hex-Format

\*.EPR Motorola-Hex-Format

\*.525 CP-525/524 Files

CP-5431 File

A\*\* CP-1430/CP-143 File

Technical data:

Size (S x H x D): 245 x 47 x 187mm

Case-Type: metal casing, powder-coated

For more Information of the Multi-Prommer or to get the actual Manual or the actual operating software WinPrommer, you find the information under

Under the web-address https://www.process-informatik.de are product specific documentations or software-driver/-tools available to download.

If you have questions or suggestions about the product, please don't hesitate to contact us.

Process-Informatik Entwicklungsgesellschaft mbH Im Gewerbegebiet 1 DE-73116 Wäschenbeuren +49 (0) 7172-92666-0

> info@process-informatik.de https://www.process-informatik.de

Copyright by PI 2003 - 2025

## **Menutree Website:**

## **QR-Code Website:**

- + Products / docu / downloads
  - + Hardware
    - + Memory modules / Prommer
      - + MULTI-PROMMER







Please make sure to update your drivers before using our products.

# Detect and alarm Profinet burglary



Recognize cable breakage, contact problems and line faults. Retransmissions and failures are logged and reported. Early acting before total failure of the participant.