Under the web-address https://www.process-informatik.de are product specific documentations or software-driver/-tools available to download.
If you have questions or suggestions about the product, please don't hesitate to contact us.

Process-Informatik Entwicklungsgesellschaft mbH
Im Gewerbegebiet 1
DE-73116 Wäschenbeuren
+49 (0) 7172-92666-0

info@process-informatik.de
https://www.process-informatik.de

Menutree Website: **QR-Code Website:**

+ Products / docu / downloads
  + Hardware
    + Programming devices
      + Programming adapter S7
        + WLAN/WIFI
          + WLAN/WIFI-SETs
            + ALF-WLAN/WIFI-Sets


Please make sure to update your drivers before using our products.

You use ALF as a WLAN-router to connect your PC with the internet. No Problem, this
Sie nutzen ALF als WLAN-Router um Ihren PC ins Internet zu bringen. Kein Problem,
ALF masters this task without problems. Its built-in firewall ensures that no hacker from
outside changes your configuration or moves in your network.

Visualisation of your S7- PLC via COM-Port

Your panel provides a serial port and no MPI/Profibus for connecting a S7-PLC. Connect
the MPI/PPI-cable with it and you're Online with your panel.

Controlling/monitoring all around the machine with a PC => nobody has such a long cable with them

Move around the machine without fear that the cable will be too short or someone will run over it and damage it. Always ONLINE and intervene at the appropriate moment or trigger a circuit-breaker/button and observe the reaction of the machine, always ONLINE via WIFI on the machine.

LAN-WIFI-conversion solves all problems and possible dangers

Logging and analysis of communication data

You want check,why your application cant communicate with the PLC or why after some time past the communication will be broken? No problem, integrate the PG-FOX-hardware in this communication way and log through the PG-FOX-software on an PC the sended data in the exact time. So, you can later check the date and find a solution of the problem.

Your installation shows an error and the commissioning engineer isn't available?
 Connect S5-DIAG with the PLC, enter reason of PLC's malfunction (e.g. O32.5 doesn't come) and the device lists all possibilities why the output has not been set.
 So you're able to figure out the problem (e.g. safety door not locked) quickly.
 Finding the cause of the malfunction can be so quick and easy.

Direct data-exchange between S7-PLCs with S7-LAN.
 Thanks to active PUT/GET directly in the module without superordinate head control!
 Transfer data directly from one MPI/Profibus-PLC to another.
 Bus independent! MPI-bus Profibus / Profibus Profibus / MPI-bus MPI-bus