

## Step5/7-Programming system PG-2000

### Installation note:

Load your license file using the link given in your personal license email. The password for extraction can also be found in this email. Then copy this file into the folder of the installed PG-2000 software (demo version). After restarting the software, your license is active.

Under the web-address <https://www.process-informatik.de> are product specific documentations or software-driver/-tools available to download. If you have questions or suggestions about the product, please don't hesitate to contact us.

Process-Informatik Entwicklungsgesellschaft mbH  
Im Gewerbegebiet 1  
DE-73116 Wäschenbeuren  
+49 (0) 7172-92666-0  
[info@process-informatik.de](mailto:info@process-informatik.de)  
<https://www.process-informatik.de>

### Menutree Website:

- + Products / docu / downloads
- + Software
  - + Programming-software PG-2000 Step5 & Step7
  - + Basic packages AWL

### QR-Code Website:




```

NETNAME: 1  USE 0  HELLO 1 PROGRAMM
LEN 17  SLEN 10
IP 1  255.5
IP 1  255.5
IP 1  255.5
IP 1  255.5
Name 1981  00
Name 1981  00
Name 1981  00
  
```


Please make sure to update your drivers before using our products.

## Data backup S5-PLC on USB-stick via dig. IO




Via digital input triggered DB-backup/-restore without additional PC via PG-socket and Ethernet to USB-stick

## Ethernet and WIFI coupling to the S5-PLC




## Router - Mode (access to the network without router)




The Tele-Prof-II can also be used as a router for access from a PC via dial-up connection, so that a communication with the behind covered network results. Furthermore a network connection can be made with the TP-II TP-II-line, but in doing so the IP-address-root must differ.

## Data backup S7-PLC PN-port on FTP-server via dig. IO




Via digital input triggered DB-backup/-restore without additional PC via PN-port to FTP-server

## Remote-maintenance Beckhoff-PLC



Remote-maintenance of a Beckhoff-controller with network-connection via secure VPN-tunnel of the TeleRouter

## Interface-products for S5-PLC



Communication with S5-PLC, just how and with what?

Data communication with S5-PLC from PC or other devices, which interface fits on/to my controller. All questions you don't have to worry about. With "Programming adapter S5" you get the right interface.

Select the interface of your PC or device (serial via COM-port, USB, Ethernet (network), WIFI) and you will be shown the possible products.

Which one you use then is up to you.